

# ATS

Air  
Treatment  
Solutions



**ACCESSORIES SERIES**



## ACCESSORIES


DIFFERENTIAL PRESSURE GAUGE  
 MANUAL DRAIN  
 AUTO DRAIN  
 FLOATING DRAIN  
 TIMED DRAIN  
 THERMODYNAMIC DRAIN  
 GREEN DRAIN



## ACCESSORIES

### Manometro differenziale • *Differential pressure gauge*

Model	Code	Combination	Max Pressure	Max Temperature
			bar	
D Gauge 0	ADG.00000	Available on all filters model FGO00034 ... FGO02810	16	90
D Gauge 1	ADG.00001	Available on all filters model FGO03600 ... FGO30000	16	90



### Scaricatore manuale • *Manual drain*

Model	Code	Combination	Max Pressure	Connections
			bar	
M Drain	AMD.00000	Available on all filters model FGO00034 ... FGO02810	16	In 3/8" G male



### Scaricatore automatico • *Auto Drain*

Model	Code	Combination	Max Pressure	Connections
			bar	
A Drain 0	AAD.00000	Available on all filters model FGO00034 ... FGO02810	16	M14
A Drain 1	AAD.00001	Available on all filters model FGO00034 ... FGO02810	16	M14



### Kit unione filtri • *Connection filter kit*

Model	Code	Filter type
FGO K	FGO.K0000	FGO 34 - FGO 170



### Staffe fissaggio a muro per filtri • *Filter wall mounting bracket*

Model	Code	Filter connections
WMB 0	WMB.00000	1/2" - 3/4"
WMB 1	WMB.00001	1"
WMB 1,5	WMB.00003	1-1/2"
WMB 2	WMB.00002	2"
WMB 2,5	WMB.00004	2-1/2"





## ACCESSORIES



### Scaricatore a Galleggiante • *Floating Drain*

Model	Code	Max Pressure	Connections	Power supply
		bar	BSP-F	
AFD Drain 0	AFD.00000	16	1/2"	---
AFD Drain 1	AFD.00001	16	1/2"	---

#### Vantaggi e applicazioni:

- ingombro limitato
- facilità di installazione
- abbinabile a tutti gli FGO
- abbinabile a tutti i separatori di condensa a ciclone SGO
- adatto per ogni tipologia di serbatoio

#### Benefits and applications:

- *small overall dimensions*
- *easy installation*
- *available with all FGO models*
- *available with all cyclone water separators SGO models*
- *suitable for every type of tank*

### Scaricatore Temporizzato • *Timed Drain*

Model	Code	Max Pressure	Connections	Power supply
		bar	BSP-F	
T Drain 0	ATD.00000	16	1/2"	230 / 1 / 50-60
T Drain 0	ATD.00000.50	16	1/2"	24 / 1 / 50-60
T Drain 1	ATD.00000.80	80	1/2"	230 / 1 / 50-60



#### Vantaggi e applicazioni:

- ingombro limitato
- completo di filtro di protezione inox e di valvola a sfera
- facilità di installazione
- possibilità di regolare intervalli e tempi di scarico
- abbinabile a tutti gli FGO
- abbinabile a tutti i separatori di condensa a ciclone SGO
- adatto per ogni tipologia di serbatoio

#### Benefits and applications:

- *small overall dimensions*
- *equipped with stainless steel strainer and shut-off valve*
- *easy installation*
- *adjustable pause and working time*
- *available with all FGO models*
- *available with all cyclone water separators SGO models*
- *suitable for every type of tank*

### Scaricatore Termodinamico • *Thermodynamic Drain*

Model	Code	Max Pressure	Connection	Power Supply
		bar	BSP-F	
H-Drain	ADD.00000	40	1/2"	



#### Vantaggi e applicazioni:

- gli scaricatori di condensa termodinamici combinano affidabilità, semplicità ed efficienza di funzionamento
- una sola parte mobile composta da un disco in acciaio inossidabile temprato permette uno scarico a getto e una chiusura perfetta
- in grado di sopportare surriscaldamento, colpi d'ariete, condensa corrosiva, gelo e vibrazioni
- ideale per scaricare grandi quantità di condensa, trova grande applicazione sotto i serbatoi o nei filtri flangiati o di grandi dimensioni

#### Benefits and applications:

- *mix of reliability, simplicity and efficiency of operation*
- *single mobile component - a inox disc - allowing a rapid drain of condensate and a hermetic seal*
- *able to bear superheating, water hammer, corrosive condensate, ice and vibrations*
- *the best solution for draining huge quantities of condensate, perfect for installation under the tank or large filters*

## Scaricatore intelligente • Green Drain

>> index  
2023-03-24  
4 / 5

Model	Code	Max Pressure	Connection	Power Supply
		bar		
G Drain 0	AGD.00000.00.01	16	3/8"	230 / 1 / 50-60 Hz
G Drain 0	AGD.00000	16	1/2"	230 / 1 / 50-60 Hz
G Drain 0 Plus	AGD.0000P	16	1/2"	230 / 1 / 50-60 Hz
G Drain 1	AGD.00001	16	1/2"	230 / 1 / 50-60 Hz
G Drain 2	AGD.00002	16	1/2"	230 / 1 / 50-60 Hz
G Drain 3	AGD.00003	16	1/2"	230 / 1 / 50-60 Hz
G Drain 4	AGD.00004	16	1/2"	230 / 1 / 50-60 Hz
G Drain 5	AGD.00005	16	3/4"	230 / 1 / 50-60 Hz




Opzione: 115/1/50-60 - 24/1/50-60 - versione UL + 10% sul prezzo standard • Option: 115/1/50-60 - 24/1/50-60 - UL version +10% from standard price

### Kit ricambio • replacement kit

Model	Code	Description
G Drain 0	AGD.K0001	Maintenance Kit with cap
G Drain 0	AGD.T0000	Termo-heater
G Drain 0 Plus - 1 - 2 - 3	AGD.K0001	Maintenance Kit with cap
G Drain 0 Plus - 1 - 2 - 3	AGD.T0003	Termo-heater
G Drain 4 - 5	AGD.K0027	Maintenance Kit with cap
G Drain 4 - 5	AGD.T0005	Termo-heater

Green loss drain è dotato di un serbatoio di accumulo integrato al cui interno è posto un sensore di livello controllato da un circuito elettronico intelligente basato su logica a microprocessore a 8 bit. Tutte le funzioni dello scaricatore sono visualizzate sul pannello comandi, dotato inoltre di pulsante di Test per lo scarico manuale.

*Green Loss Drain is equipped with an integrated storage tank, inside which is placed a level sensor controlled by an intelligent electronic circuit based on logic to 8-bit microprocessor. All functions of drain are visualized on panel, provided by a test -key for manual drain.*



	Green Drain						
	GREEN 0	GREEN 0 PLUS	GREEN 1	GREEN 2	GREEN 3	GREEN 4	GREEN 5
Capacity Compressor m <sup>3</sup> /min	3,6	7,6	9	18	36	190	360
	3	6,3	7,5	15	30	160	300
	1,8	3,8	4,5	9	18	96	180
Capacity Dryer m <sup>3</sup> /min	7	15	18	36	72	380	720
	6	13	15	30	60	320	600
	3,5	7,5	9	18	36	190	360
Capacity Filter m <sup>3</sup> /min	36	76	90	180	360	1900	3600
	30	63	75	150	300	1600	3000
	18	38	45	90	180	960	1800

Nota: Per caratteristiche diverse dallo standard contattare il nostro ufficio tecnico • Notes: for special requirements please contact our technical department

**ATS** Air  
Treatment  
Solutions



w w w . a t s a i r s o l u t i o n s . c o m

ATS s.r.l.

---

Via Enzo Ferrari, 4 - z.a.i. 37045 Legnago (Verona) - Italy  
ph +39 0442 629219 | info@atsairsolutions.com | www.atsairsolutions.com  
Piva / Vat 04307390239